



গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিদ্যুৎ জ্বালানি ও খনিজ সম্পদ মন্ত্রণালয ঢাকা ইলেকট্রিক সাপ্লাই কোম্পানি (ডেসকো) লিমিটেড ব্যবস্থাপক (বোর্ড এফেয়ার্স) বিভাগ ২২/বি কবি ফররুখ সরণি, নিকুঞ্জ-২, খিলক্ষেত,

ঢাকা-১২২৯

www.desco.org.bd

নম্বর: ২৭.২৪.০০০০.০৬৫.০৬.০০১.১৮.৫

তারিখ: ১৭ চৈত্র ১৪২৭

৩১ মার্চ ২০২১

# অফিস আদেশ (Policy Guidelines on Creating Facilities of Electric Distribution Lines সংশোধন)

সংশ্লিষ্ট সকলের অবগতির জন্য জানানো যাচ্ছে যে, Policy Guidelines on Creating Facilities of Electric Distribution Lines এর Work Plan শীর্ষক অনুচ্ছেদ ৩.০ এর আওতায় Approving Authority নিম্নোক্তরূপে প্রতিস্থাপনের প্রস্তাব অনুমোদিত হয়ঃ

### "3.0.1 Approving Authority: Proposed works shall be approved as follows:

Sl. N.o	Type of work	Approval Limit	Approving Authority
	Construction/renovation/	Up to 2 span	SE (Zone)
1.	augmentation/rehabilitation/	3 span to 5 span	CE (S&D Operation)
	reinforcement of LT (0.4/0.23 KV) Overhead line	Above 5 span	SE (P&D)
	Construction/renovation/	Up to 2 span	SE (Zone)
2.	augmentation/rehabilitation/	3 span to 5 span	CE (S&D Operation)
۳.	reinforcement of HT (11KV) Overhead	6 span to 10 span	SE (P&D)
	line with or without under built line	Above 10 span	CE (P&D)
3.	Installation of push pole, pole straightening, pole change, guy wire relocation, pole fittings change and any other similar work	Any quantity	SE (Zone)
4	Replacement of existing distribution transformer (1Ph, 3Ph)	Any quantity ,	CE (S&D Operation)
5	Installation of new transformer (1Ph, 3Ph)	Any quantity	
6.	Installation of RMU/Switchgear/ AVR/ Package type transformer	Any quantity	
7.	Construction of new 11KV underground feeder line from substation/ switchgear /RMU/ construction of underground service line	Any length	CE (P&D)
8.	Construction of 33KV Overhead and Underground source line	Any length	OL (LQD)

9.	Construction of distribution line in Govt./Private Housing Complex Creating of electric distribution facilities (Overhead, Underground, Substation, Switching Station etc.) in a new Housing Complex	Any quantity	Executive Director (Engineering)
10.	Installation of 132/33KV, 33/11KV Substation etc.	Any quantity	Managing Director
11.	Load Clearance	1 KW to 249 KW	No Clearance is required
,		250 KW to 500 KW	CE (P&D)
a .		501 KW to 5MW	Executive Director (Engineering)
		Above 5 MW	Managing Director

3.0.2 Line construction or renovation works approved by Operation Division will be executed by Line and Equipment Maintenance (LEM) contractor or line construction related Mini Contractor under the supervision of Operation Division. After completion of works, copy of as build drawing shall be sent to Planning and Design (P&D) division and Geographical Information System (GIS) unit. GIS unit shall update the information into GIS Database."

উক্ত সংশোধনীটি আগামী ০১/০৪/২০২১ তারিখ হতে কার্যকর হবে।

বোর্ডের নির্দেশক্রমে.

মোঃ আতিকুর রহমান

কোম্পানী সচিব

নম্বর: ২৭,২৪,০০০০,০৬৫,০৬,০০১,১৮,৫/১(৯৩)

তারিখ: ১৭ চৈত্র ১৪২৭

অবগতি ও প্রযোজনীয় (প্রযোজ্য ক্ষেত্রে) ব্যবস্থা গ্রহণের জন্য অনুলিপি প্রেরণ করা হইল:

- চয়ারম্যান, ডেসকো বোর্ড।
- ২) ব্যবস্থাপনা পরিচালক, ডেসকোঃ
- ৩) নির্বাহী পরিচালক (এইচআর/সংগ্রহ/অর্থ ও হিসাব/অপারেশন/প্রকৌশল), ডেসকো।
- ৪) সকল মহাব্যবস্থাপক/প্রধান প্রকৌশলী, ডেসকো।
- ক) সকল উপ-মহাব্যবস্থাপক/তত্ত্বাবধায়ক প্রকৌশলী, ডেসকো।
- ৬) সকল ব্যবস্থাপক/নির্বাহী প্রকৌশলী, ডেসকো।
- ৭) অফিস কপি/মাস্টার ফাইল।

মোহাম্মদ আব্দুল মান্নাফ

House # 22/B, Faruque Sarani, Nikunja-2 Dhaka-1229, Bangladesh

Phone: +88028900110; 88028900111

Fax: +88028900100

E-mail: info@desco.org.bd; mddesco@desco.org.bd

Website: www.desco.org.bd

Memo No. DESCO/HQ/ADMIN-A(3)/OO-3/2014/ 2481

তারিখ: ১৯ অগ্রহায়ণ ১৪২১ বঙ্গাব্দ 03 December 2014

অফিস আদেশ

SDE SOM SUSSIAN SUSSIAN

সংশ্লিষ্ট সকলের অবগতির জন্য জানানো যাচ্ছে যে, বিগত ১২/১১/২০১৪ইং তারিখে অনুষ্ঠিত ডেসকো বোর্ডের ২৮৩ তম সভায় Policy Guidelines on Creating Facilities of Electric Distribution Lines শীর্ষক নীতিমালার কতিপয় ধারা সংশোধনী/সংযোজনীর বিষয়ে নিম্নোক্ত সিদ্ধান্ত গৃহীত হয়ঃ

"৯.১ ডেসকোঁর Policy Guidelines on Creating Facilities of Electric Distribution Line শীর্ষক নীতিমালা সংযুক্তি-১, পাতা ১২ থেকে পাতা ১৩ এ প্রদর্শিত মতে সংশোধন/সংযোজনের প্রস্তাব এতদ্বারা অনুমোদন করা হলো। এ সংশোধনীসমূহ জানুয়ারী ০১, ২০১৫ইং তারিখ হতে কার্যকর হবে।"

উল্লিখিত সিদ্ধান্ত মোতাবেক সংশ্লিষ্ট সকলকে ব্যবস্থা গ্রহণের জন্য নির্দেশক্রমে অনুরোধ জানানো হলো।

কর্তৃপক্ষের অনুমোদনক্রমে,

্বি (মোঃ ভৌফিক আবদুরাহ) উপ-মহাব্যবস্থাপক (প্রশাসন)

মহাব্যবস্থাপক (প্রশাসন), অতিরিক্ত দায়িত্ব।

সংযুক্তিঃ এতদৃসংক্রান্ত সিদ্ধান্ত।

অনুলিপিঃ সদয় অবগতির জন্য (জ্যেষ্ঠতার ভিত্তিতে নয়)!

১। নির্বাহী পরিচালক (প্রশাসন/ইঞ্জিনিয়ারিং/অপারেশন/সংগ্রহ/অর্থ ও হিসাব)।

২। প্রধান প্রকৌশলী (এস এভ ডি অপারেশন/নেটওয়ার্ক অপারেশন/পিএভডি/ডিএভপি)/মহাব্যবস্থাপক (সংগ্রহ)।

৩। তত্ত্বাবধায়ক প্রকৌশলী (পি এন্ড ডি/ম্যাটেরিয়াল প্ল্যানিং এন্ড স্টোরস/প্রকিউরমেন্ট, ইন্সপেকশন এবং টেস্টিং/ডেভেলপমেন্ট এন্ড মিটার প্ল্যান্ট/আইসিটি/সাবস্টেশন এন্ড নেটওয়ার্ক/এইচআরএম/এস এন্ড ডি অপারেশন(উত্তরা/গুলশান/মিরপুর জোন)/প্রজেক্ট/অর্থ/কোম্পানী সচিব/উপ-মহাব্যবস্থাপক (ইন্টারনাল অডিট/হিসাব)।

8। নির্বাহী প্রকৌশলী, বি ও বি বিভাগ (পল্লবী/টঙ্গী পশ্চিম/কাফরুল/উত্তরা (পূর্ব)/গুলশান/শাহআলী/টঙ্গী (পূর্ব)/বারিধারা/ রূপনগর/দক্ষিণখান/আগারগাঁও/মনিপুর/উত্তরখান/বাড্ডা/উত্তরা (পশ্চিম)/জোয়ার সাহারা)/মনিটরিং সেল/সেন্ট্রাল স্টোর/ গ্রীড এভ প্রটেকশন/মিটার প্ল্যান্ট/এমভি এসএস এমসি/টেস্টিং এভ রিপেয়ারিং)/ব্যবস্থাপক (সাব-স্টোর)।

ে। স্টাফ অফিসার টু ব্যবস্থাপনা পরিচালক।

৬। অফিস কপি।



সংযুক্তি-১

# Policy Guidelines on Creating Facilities of Electric Distribution Lines (Ammendments-2 w.e.f. January 01, 2015)

Work Plan সংক্রান্ত ৩ নং ধারায় Approval of the competent authority সংক্রান্ত ছক
নিম্নোক্তরূপে প্রতিস্থপিত হবেঃ

Type of work	Approval Limit	Approving Authority
Construction/augmentation/rehabilitation/reinforcement	2 (two) span or equivalent line length	SE (P&D)
of LT line	Above 2 (two) span or equivalent line length	CE (P&D)
Construction/augmentation/rehabilitation/reinforcement	2 (two) span or equivalent line length	CE (P&D)
of HT line	Above 2 (two) span or equivalent line length	ED (Engineering)
Installation of Substation/ RMU, etc.	As required	ED (Engineering)

- 2. Realization of costs against deposit scheme সংক্রান্ত 5(a) লং ধারার ১ম প্যারাটি 5(a)(1) এবং ২য় প্যারাটি 5(a)(2) উপ-ধারা হিসাবে গণ্য করে যথাক্রমে নিম্লেজরূপে প্রতিস্থাপিত হবেঃ
  - "5(a)(1) For development of permanent facility, cost realization will generally be made as follows:

Nature of work	Work Volume	Cost Realization
Construction of HT/LT line for providing electric	Any line length	100% (hundred percent) of cost
service connection to consumer of any category.	In the event of transfer from development scheme to deposit scheme based on applicant's demand, any line length	estimate for the work under consideration.
Shifting/ conversion of existing line upon demand of an applicant	Any line length	100% (hundred percent) of cost estimate for the work under consideration.

5(a)(2) (i) An applicant must have to provide suitable room for RMU installation within his premises, if his total load demand becomes 1000 KW or above. But in case of any technical reason this limit may be reduced to the extent of 500KW. Type of RMU and room size for RMU installation shall be determined by P&D Division of DESCO.

In such case, the applicant shall however be required to pay DESCO the Total Cost against required cable and RMU installation i.e.(i) Cost of material, (ii) Cost of installation and recovery, (iii) Incidental Charges, (iv) RMU installation Charges, (v) Cost of RMU calculated from the following formula:

Payable RMU cost by applicant = (Cost of RMU) / (No. of Port of RMU - 2)

- (ii) DESCO will provide 1 year warranty for the installed RMU.
- (iii) The applicant shall collect road cutting permission from DCC/RHD/Cantonment Board/Bangladesh Railway as applicable by his own arrangement and cost.
- (iv) The applicant shall pay total cost of voltage regulator or any equipment and their installation charges for voltage improvement within their premises."

ডেসকোপরিচালনা পর্যদের ২৮৩ তম সভার কার্যবিবরণী, তারিখঃ নভেম্বর ১২, ২০১৪ খ্রীঃ।

solo oh,



3. Load Clearance/Retention সংক্রান্ত 6 নং ধারা নিম্নেক্তরূপে প্রতিস্থাপিত হবেঃ

6.0 Load Clearance and Load Retention:

(a) Load Clearance: An applicant requires to take load clearance certificate if total load required is 250 KW or above upon availability from the existing system. Validity of such load clearance certificate shall be 3 (three) months from the date of issuance the following steps shall have to be taken in this regard:

- (i) The applicant shall be required to submit application in prescribed form upon payment of application fee of Tk. 1000.00 (Taka one thousand) non refundable.
- (ii) The applicant shall be required to mention the total load requirement along with the breakup in phases, if applicable.

(b) Load Retention: For advance load clearance/retention requested by an applicant if additional/new facilities need to be created, the load clearance certificate mentioning the targeted load available time may be issued, provided DESCO can ensure availability of the facilities through development or deposit scheme, as applicable. The following steps shall be taken in this regard:

- The applicant shall be required to submit application in (i) prescribed form upon payment of non-refundable application fee of Tk. 1000.00 (Taka one thousand) in favour of DESCO.
- (ii) The applicant shall be required to mention the total load requirement along with the breakup in phases, if applicable.
- For the total load clearance period, the applicant shall pay in advance an amount calculated @ Tk.5.00/KW per month against the load demand as per the load breakup.
- (c) The load clearance/retention certificate shall remain valid till the period specified in the certificate and be considered void upon expiry of the validity period.
- (d) DESCO will dispose the load clearance/retention issue within 15 days from receiving such application.

ডেসকোপরিচালনা পর্যদের ২৮৩ তম সভার কার্যবিবরণী, তারিখঃ নডেম্বর ১২, ২০১৪ খ্রীঃ  $\iota$ 





**DHAKA ELECTRIC SUPPLY COMPANY LTD** 



House#3, Road#24, Block-K, Banani Model Town Dhaka-1213, Bangladesh. Phone: +8802 8860341, +8802 8859642 Fax: +8802 8854648 email: info@desco.org.bd; mddesco@desco.org.bd www.desco.org.bd

স্মারক নং- ডেসকো/প্রশাসন-০৭/২০১০/ 🗘 🕽 🖯

মার্কলার

তারিখ-২১/০৭/২০১০ ইং।

সংশ্লিষ্ট সকলের সদয় অবগতির জন্য জানানো যাচ্ছে যে, ২৯/০৩/২০১০ ইং তারিখে অনুষ্ঠিত ডেসকো বোর্ড অব ডিরেক্টরস এর ১৬৩ তম সভান্ন Policy Guidelines on Creating Facilities of Electric Distribution Lines শীর্ষক নীতিমালার প্রস্তাবিত

সংশোধনী সমূহ কর্তৃপক্ষের সিদ্ধান্ত অনুযায়ী পরবর্তী প্রয়োজনীয় ব্যবস্থা গ্রহনের জন্য Policy Guidelines এর কপি অত্রসাথ সংযুক্ত

করে প্রেরন করা হলো।

কর্তৃপক্ষের অনুমোদনক্রমে,

a' .

(এস.এম. হাবিবুর রহমান) উপ-মহাব্যবস্থাপক (প্রশাসন)

সংযুক্তিঃ- ০১। ১৫% তম বের্ড সভার অনুমোদিত Policy Guidelines on Creating Facilities of Electric Distribution Lines এর কপি। ০২। ১৬৩ তম বোর্ড সভায় গঠিত বোর্ড কমিটির সংশোধিত রিপোর্ট এর কপি।

বিতরনঃ

কার্যার্থেঃ

12206

ا ده

সকল বিভাগ / দপ্তর

স্মারক নং- ডেসকো/প্রশাসন-৭/২০১০/20১১

সদয় জ্ঞাতার্থেঃ

০১। ব্যবস্থাপনা পরিচালক , ডেসকো।

০২। পরিচালক (ইঞ্জিনিয়ার্রিং / সংগ্রহ,অর্থ ও হিসাব), ডেসকো।

০৩। জেনারেল ম্যানেজার (অপারেশন, নেটওয়ার্ক এভ কন্ট্রোল), ডেসকো।

তারিখঃ- জুলাই ২১, ২০১০ই।

(এস.এম. হাবিবুর রহমান) উপ-মহাব্যবস্থাপক (প্রশাসন)

# "Policy Guidelines on Creating Facilities of Electric Distribution Lines" শীর্ষক নীতিমালায় প্রস্তাবিত সংশোধনী/সংযোজনী সমূহ পর্যালোচনার নিমিন্তে ১৬৩তম বোর্ড সম্ভায় গঠিত বোর্ড কমিটির রিপোর্ট

### (১) ভূমিকাঃ

ভেসকো আওতাধীন এলাকায় ক্রমবর্ধমান বিদ্যুৎ চাহিদা মোকাবিলা এবং গ্রাহকদের বিদ্যুৎ সংযোগ প্রদান এর স্বার্থে প্রতিনিয়ত বিদ্যুৎ বিতরণ লাইন সম্প্রসারণ বা পূন্বাসনের কাজ সম্পাদন করা হয়ে থাকে। স্বচ্ছতা ও সৃষ্ঠ ব্যবস্থাপনার মাধ্যমে এ কার্যক্রম পরিচালনার জন্য স্নির্দিষ্ট নীতিমাগা প্রণয়নের উদ্দেশ্যে ০৩/০২/২০০৯ইং তারিখে অনুষ্ঠিত ১৪৫ তম বোর্ড সভায় ০৪ (চার) সদস্য বিশিষ্ট একটি বোর্ড কমিটি গঠণ করা হয়। উক্ত কমিটি ০৫/০৮/২০০৯ইং তারিখে অনুষ্ঠিত ১৫৪ তম বোর্ড সভায় অনুমোদিত "Policy Guidelines on Creating Facilities of Electric Distribution Lines" শীর্ঘক নীতিমালার কতিপয় ধারায় সংযোজনী/সংশোধনী আনয়নের মাধ্যমে বর্ণিত পলিসি গাইড লাইনকে অধিকতর সমৃদ্ধ করার উদ্দেশ্যে ২৯ মার্চ, ২০১০ইং তারিখে অনুষ্ঠিত ১৬৩তম বোর্ড সভায় প্রস্তাব পেশ করা হলে এ বিষয়ে পরীক্ষা-নিরীক্ষা পূর্বক বোর্ডের নিকট স্পারিশসহ প্রতিবেদন উপস্থাপনের জন্য ০৩ (ডিন) সদস্য বিশিষ্ট একটি বোর্ড কমিটি গঠন করা হয়ে। আলোচ্য প্রস্তাবটি বিষদভাবে পর্যালোচনান্তে উল্লিখিত text সমূহের কতিপয় ক্ষেত্র অধিকতর সহজবোধ্য এবং বাব্য গঠনে যথার্থ ভাষা প্রয়োগ নিশ্বিত করণের বিষয় বিবেচনায় নিয়ে বোর্ড কমিটি দৃই/একটি ক্ষেত্রে সামান্য পরিবর্তন আনয়ন পূর্বক বর্ণিত প্রস্তাব গ্রহণের পক্ষে স্পারিশ সহ রিপোর্ট প্রণমন করে যা নিমে বিয়দভাবে উল্লেখ করা হলে।

### (২) বোর্ড কমিটির গঠনঃ

বোর্ড কর্তৃক গঠিত বোর্ড কমিটিতে নিমের বর্ণনা অনুযায়ী একজন আহবায়ক সহ মোট ০৩ (তিন) জন সদস্য অন্তর্ভূক।

ক। জনাব এস, আর, আখতার

-পরিচালক, ডেসকো বোর্ড

-আহ্বায়ক, বোর্ড কমিটি :

খ। জনাব মোঃ মোন্ডাফিজুর রহমান

-পরিচালক ডেসকো বোর্ড

-সদস্য, বোর্ড কমিটি।

গ। জনাব মোঃ মনজুর রহমান

-পরিচালক (ইঞ্জিনিয়ারিং), ডেসকো

-সদস্য, বোর্ড কমিটি।

### (৩) বার্ড কমিটির কার্যপরিধিঃ

বোর্ড কর্তৃক গৃহীত সিদ্ধান্ত মোতাবেক বোর্ড কমিটির কার্যপরিধি নিমুন্ধপঃ

- (ক) "Policy Guidelines on Creating Facilities of Electric Distribution Lines" শীর্ষক নীতিমালায় সংশোধনী আনয়ন সংক্রোন্ত ১৬৩তম বোর্ড সভায় উত্থাপিত প্রস্তাব অধিকতর গরীক্ষা-নিরীক্ষা করে রিপোর্ট প্রস্তুত পূর্বক বোর্ড সভায় বিবেচনার জন্য পেশ করা।
- (খ) সংশোধনী প্রস্তাবে দেশের বর্তমান প্রকট বিদ্যুৎ ঘাটতিজনিত পরিস্থিতিতে সকল প্রকার বড় বড় সৃউচ্চ ভবনের ছাদে ভবনের মালিক/মালিকগণ্ কর্তৃক Solar Panel (সৌর-বিদ্যুৎ প্যানেল) স্থাপন করার শর্ত আরোপের বিষয়টি বোর্ড কমিটি কর্তৃক বিবেচনা করা।

### (৪) বার্ড কমিটির সভাঃ

কমিটির জন্য নির্ধারিত কার্যপরিধি বিবেচনায় নিয়ে ১৫৪তম বোর্ড সভায় "Policy Guidelines on Creating Facilities of Electric Distribution Lings" শীর্ষক নীতিমালায় আনীত সংশোধনী প্রস্তাব বিষদভাবে পর্যালোচনার নিমিত্তে বোর্ড কমিটির সকল সদস্য ২০/০৪/২০১০ইং এবং ১৯/০৫/২০১০ইং তারিখে ডেসকো'র সদর দপ্তরে সভায় মিলিত হন। বর্ণিত পলিসি সংক্রোন্ত মূল ডকুমেন্ট সহ কার্যপরিধিতে উল্লেখিত বিষয়াদি

# (৫) <u>যৌজিকতা সহ সংশোধনী/সংযোজনী প্রস্তাবের বিবরণঃ</u>

# (ক) Ref.: Clause 3.1 Development Scheme

### সংশোধনী/সংযোজনী প্রস্তাবের যৌক্তিকভাঃ

কোন রেজিষ্টার্ড হাউজিং এস্টেট এলাকায় Development Scheme এর আওতায় লাইন extension/ rehabilitation/conversion কার্যক্রম গ্রহণের ক্ষেত্রে সংশ্লিষ্ট বিদ্যামান অবকাঠামো ডেসকো'র অনুক্লের পূর্বেই হস্তান্তর আবশ্যক। অনুমোদিত পলিসি ডকুমেন্ট এর সংশ্লিষ্ট ধারায় (ধারা ৩.১) বর্ণিত text এ বিষয়টি সুস্পষ্টভাবে বর্ণিত হয় নাই হেতু যথার্থভাবে বাক্য গঠন পূর্বক সংশোধনী আনয়নের প্রস্তাব করা হয়েছে।

### সংশোধনী প্রস্তাব সংক্রান্ত বিবরণঃ

Text in approved policy document	Amendment proposed in 154 <sup>th</sup> Board Meeting	Amendment proposed by Board Committee
Works under development scheme shall cover the following areas:  (iv) Extension/rehabilitation of distribution lines within a registered housing estate upto 92 (two) span or equivalent line length for HT line and/or 04 (four) span or equivalent line length for LT line from existing facilities subject to handing over the facilities to DESCO.	Works under development scheme shall cover the following areas:  "(iv) Extension/ rehabilitation of distribution lines within a registered housing estate upto 02 (two) span or equivalent line length for HT line and/or 04 (four) span or equivalent line length for LT line from existing facilities handed over to DESCO".	Work under development scheme will cover the following areas:  "(iv) Extension /rehabilitation / conversion of distribution lines within a

J:\Director Engineer\Amenment of 154 Board Meeting.doc Copy.doc

from an

( Organi



# Ref.: Clause 3.2 Deposit Scheme

## সংশোধনী/সংযোজনী প্রভাবের যৌক্তিকতাঃ

হাউজিং এষ্টেট অথরিটি কর্তৃক নিজস্ব ব্যবস্থাপনায় কার্য সম্পাদনের ক্ষেত্রে মালামাল ও ইনসটলেশন এর সম্পূর্ণ ব্যয় যেহেতু তারাই বহন করেন, সেহেতু ভধুমাত্র 4 (b) (iii) অনুযায়ী সুপারভিশন ও সার্ভিজ চার্জ ডেসকোকে প্রদান করতে হয়। বিদ্যমান পলিসি গাইড লাইনে 4(b) উল্লেখ থাকার কারণে এখানে অসামঞ্জস্যতা থেকে যাচেছ। অপরদিকে হাউজিং অথরিটি যদি ডেসকো'র মাধ্যমে কার্য সম্পাদনে ইচ্ছুক হন সেক্ষেত্রে মালামালের মূল্য ও ইনসটলেশন চার্জ ডেসকো'র অনুক্লে পরিশোধ করতে হয়। বিষয়টি স্পষ্টায়নের জন্য সংশ্লিষ্ট ধারায় সংশোধনী/সংযোজনীর প্রয়োজন দেখা দিয়েছে।

## गर्माधनी क्षेत्रांव मर्काष्ठ विवद्रगः

Text in approved policy	Amendmant	
document	Meeting	L. Annament highogen na BOSLQ
Text in approved policy document  (e) The works for construction of electric distribution lines within registered housing estates may be executed by the concerned authorities under DESCO's supervision at their own arrangement and cost subject to DESCO's prior consent.  However, drawing, design, specification and cost estimation for such works shall need prior approval of DESCO. The housing authority shall be	Amendment proposed in 154th Board  Meeting  (e) "The works for construction of electric distribution lines within registered housing estates may be executed by the concerned housing authorities under DESCO's supervision at their own arrangement and cost subject to DESCO's prior consent. The drawing, design, specification and cost estimation for such works shall need prior approval of DESCO. On demand, the housing estate authority shall however be required to pay DESCO in advance the estimated amount in accordance with sub clause 4(b) (iii).  However, if the existing facilities have not already been handed over to DESCO" and if the construction work is required to be taken up by	Committee  Committee  Committee  Committee  Committee  Committee  Committee  Concerned housing authorities under DESCO's supervision at their own arrangement and cost subject to DESCO's prior consent. The drawing, design, specification and cost estimation for such work shall need prior approval of DESCO. On demand,
required to pay DESCO in advance on demand the estimated amount in accordance with 4 (b). On completion of the works, the same shall be handed over to DESCO.	DESCO, the concerned applicant/housing authority shall pay DESCO in advance on demand the total estimated amount in accordance with 4 (b).  In case the works executed by the housing estate authority have not been handed over to DESCO, it shalls have the right to refusal in providing any service connection or allowing further extension from the concerned electric distribution line."	will pay DESCO, in advance on demand, the total estimated amount in accordance with 4 (b).  In case the work executed by the housing estate authority have not been handed over to DESCO, it will have the right to refuse in providing any service connection or allowing further extension from the concerned electric distribution line till satisfactory and reliable test results are obtained.

# Ref.: Clause 4.0 (a) Cost Estimation for Deposit Scheme

# সংশোধনী/সংযোজনী প্রস্তাবের যৌক্তিকতাঃ

Clause 4.0 (a) তে Cost estimation এর জন্য উল্লিখিত factor সমূহের মধ্যে Road Cutting and Repair Charges এর বিষয়টি অন্ত র্ভুক্ত নাই। কিন্তু Deposit Scheme এর আওতায় কার্যসম্পাদনে রাস্তা খননের প্রয়োজন হলে সংশ্লিষ্ট আবেদনকারীর নিকট হতে রাস্তা খনন ও মেরামত বাবদ প্রযোজ্য খরচ আদায় করা হয়। এ কারণে 4.0 (a) এর আওজায় (iv) এর নীচে (v) হিসাবে Road Cutting and Repair Charges" factor টি সংযোজন করে 4.0 (a) এর text নিম্নোজভাবে সংশোধনের প্রস্তাব করা হয়েছে।

E:\DT (Sir)\Amenment\Amenment of 154 Board Meeting.doc Copy.doc

Ref.: Clause 5.0 Realization of costs against deposit scheme: **B** 

**जर्रांगीयनी/जरायोक्षनी थंबादव**द्र प्र्वोक्षिकछाः

আলোচ্য ধারায় ডিপোজিট স্কীমের অগওভায় কাজের জন্য একজন আবেদনকারীকে বিভিন্ন ধরনের কাজের বিপরীতে কি পরিমাণ অর্থ ডেসকো'র অনুক্লে জমা দিতে হবে ভার বিবয়ণ দেয়া হয়েছে। ভবে ডেভেলপমেউ ওরার্কের অতিভায় বাভাবিকভাবে প্রযোজ্য কাজ যদি ডিপোজিট স্কীম এ অন্তর্ভুক্ত করতে হয় কিংবা আবেদনকারীর নিজ'ৰ প্রযোজনে যদি বিদ্যমান লাইনকে জপাজর করতে হয়, সে বিষয়টি পলিসি ভকুমেটে বর্ণিত না থাকায় নিমুস্নপভাবে সম্পূর্ণ

- -		the	11	
		mmittee SCO in advance (th 4 (b) for w	Cost realization will Cost realization 50% (fifty percent) of cost estimate for the part beyond 2 span or equivalent line length.  50% (fifty percent) of cost estimate for the work under consideration.	
		Amendment proposed by Board Committee On demand, an applicant will require to pay DESCO in advance the under deposit scheme in the following man.	a) Permanent Facility: For development of permanent facility, cost generally be made as follows:  Nature of work  Construction of HT Line covering more flectric service equivalent line the connection to length:  Consumer of length:  Consumer of development scheme to development scheme	
		·		
	Soord M. L.	quired to pay DESCO in advance on demand the following manner:	realization will generally  Cost realization 50% (fifty percent) of cost estimate for the part beyond 2 span or equivalent line length. 50% (fifty percent) of cost estimate for the work under	
ř	ent proposed in 154th Roord M	An applicant shall be required to pay DESCO in advance on demand the estimated applicable amount in accordance with 4 (b) for works under deposit scheme in the following manner:	permanent facility, cost range of than 2 span or equivalent line length:  In the event of transfer from development scheme to deposit scheme to deposit scheme based on applicant's demand, line covering maximum 2 span or equivalent line length:	
•	Amendment	An applicant shall be rethe estimated applicable under deposit scheme in t	a) Permanent Facility: For development of permanent facility, cost realization will generally.  Nature of work  Construction of HT Line covering more 50% (fifty petcent) of electric service equivalent line part beyond 2 span or consumer of consumer of the length:  In the event of 50% (fifty percent) of transfer from four length.  In the event of 50% (fifty percent) of development scheme work under based on applicant's dernand, line consideration.  Span or equivalent line length:	
	Lext in approved policy document	An applicant shall be required to pay DESCO in advance on demand the estimated amount in accordance with 4 (b) for works under deposit scheme in the following manner:	nanent facility be made as o be realized fly percent) of imate for line beyond I limit under nent scheme.	
	lext in appr	An applicant shall be DESCO in advance estimated amount in a (b) for works under d the following manner:	a) Permanent Facility: For development percent percent cost realization will follows:  Type of line for cost est residential length purpose specifical development.	



-	(	4	Chi.	3)	
,					_

				(49)
100% (hundred percent) of cost estimate for the part beyond 2 span or equivalent line length.	100% (hundred percent) of cost estimate for the work under consideration.	50% (fifty percent) of cost estimate for the part beyond 4 span or equivalent line length. 50% (fifty percent) of cost estimate for the work under consideration.	100% (hundred percent) of cost estimate	table for installation struction of electric witchgear will be , the applicant will Incidental Charges Repair Charges, if
Line covering more than 2 span or equivalent line length:	In the event of transfer from development scheme to deposit scheme based on applicant's demand, line covering maximum 2 span or equivalent line length.	Line covering more than 4 span or equivalent line length:  In the event of transfer from development scheme to deposit scheme haved on amiliant?	demand, line covering maximum 4 span or equivalent line length:  Line with any no. of span or equivalent line length	Where an applicant provides free of cost land suitable for installation of Sub-station/RMU/Switchgear required in construction of electric distribution facilities, the Substation/RMU/Switchgear will be provided by DESCO free of cost. In such case, the applicant will however require to pay DESCO the costs against Incidental Charges as indicated in 4.0 (b) (iii), Road cutting and Repair Charges, if applicable, as indicated in 4.0 (b) (iv) and the cost of time material required within the applicant's premises.
Construction of HT line for providing electric service connection to consumer of non-residential or combination of norresidential and other category		Construction of LT line for providing electric service connection, to any category of consumer	Shifting/ rehabilitation /Conversion of existing line upon demand of an	Where an applicant provides free of cost of Sub-station/RMU/Switchgear require distribution facilities, the Substation provided by DESCO free of cost. In showever require to pay DESCO the cost as indicated in 4.0 (b) (iii), Road cutt applicable, as indicated in 4.0 (b) (iv) required within the applicant's premises.
	100% (hundred Percent) of cost estimate for the work under consideration.	50% (fifty percent) of cost-estimate for the part beyond 4 span or equivalent line length. 50% (fifty percent) of cost estimate for the work under consideration.	100% (hundred percett) of cost estimate.	ee of cost land suitable for installation of required in construction of electric Substation/RMU/Switchgear shall be cost. In such case, the applicant shall DESCO the costs against Incidental (iii), Road cutting & Repair Charges, if (b) (iv) and the cost of line material premises.
Line covering morthan 2 span or equivalent line longth:	transfer from development scheme to deposit scheme based on applicant's demand, line covering maximum 2 span or equivalent line length:	Line covering more than 4 span or equivalent line length:  In the event of transfer from development scheme to deposit scheme based on applicant's demand.	covering maximum 4 span or equivalent line length: Line with any no. of span or equivalent line length	ides free of cost land suit igear required in con the Substation/RMU/See of cost. In such cass o pay DESCO the cos 1.0(b) (iii), Road cutting in 4.0 (b) (iv) and the cant's premises.
Construction of HT line for 'providing electric service connection to consumer of non-residential or combination of non-residential and other category		Construction of LT line for providing electric service connection to any category of consumer	Shifting/conversion of existing line upon demand of an applicant	Where an applicant provides free of cost land suitable for installation of Sub-station/RMU/Switchgear required in construction of electric distribution facilities, the Substation/RMU/Switchgear shall be provided by DESCO free of cost. In such case, the applicant shall however be required to pay DESCO the costs against Incidental Charges as indicated in 4.0 (b) (iii), Road cutting & Repair Charges, if applicable, as indicated in 4.0 (b) (iv) and the cost of line material required within the applicant's premises.
100% (hundred percent) of cost estimate for line length beyond specified limit under development scheme.		oost estimate for line length beyond specified limit under development scheme.	100% (hundred percent) of cost estimate. 50%	ndes. free of stallation of luited in distribution t shall be only the cost
Construction of HT line for non-residential purpose		of LT line	Shiffing/reloc ating existing facilities	where an applicant procest land suitable for it RMU/Switchgear requorativities, the applican required to pay DESCO against incidental charges.

MEC



# (5) Ref.: Clause 6.0 Load Clearance/Retention:

# সংশোধনী/সংযোজনী প্রস্তাবের যৌক্তিকতাঃ

কোন আবেদনকারীর Load Clearance সার্টিফিকেট বা Load Retention সার্টিফিকেট এর প্রয়োজন হলে এবং বিদ্যামান বিতরণ লাইন থেকে চাহিদানুসারে লোড এর সংস্থান করা সম্ভব হলে ধারা 6.0 (a) (iii) অনুসারে প্রথম ৬ (ছয়) মাসের জন্য কিঃ ওঃ প্রতি মাসিক t ২.৫০ এবং পরবর্তী সময়ের জন্য ধারা 6.0 (a) (iv) অনুসারে কিঃ ওঃ প্রতি মাসিক t ৫.০ হারে ফি জমা দেওয়ার বিধান রয়েছে। এদিকে বিদ্যমান অবকাঠামো থেকে চাহিদানুসারে লোডের সংস্থান করা সম্ভব না হলে এবং সে কারণে অতিরিক্ত বা নতুন facilities নির্মাণ যদি সম্ভব হয়, সেক্ষেত্রে 6.0 (b) (iii) অনুযায়ী আবেদনকারীকে কিঃ ওঃ প্রতি মালিক t ১.০০ হারে ফিস জমা দেয়া স্বাপেক্ষে Advance Load Clearance সার্টিফিকেট প্রদানের বিধান রয়েছে। 6.0 (a) (iii) বা 6.0 (a) (iv) তে বর্ণিত রেট এর সাথে 6.0 (b) (iii) তে উল্লেখিত রেট এর সামঞ্জস্যতা নেই। ফলে এক্ষেত্রে সঙ্গতিপূর্ণ রেট নির্ধারণ কল্পে 6.0 (b)(iii) তে 6.0 (a) (iv) এর অনুরূপ একই রেট ধার্যের জন্য নিমোক্তমতে সংশোধনী এর প্রস্তাব করা হলো। সংশোধনী প্রস্তাব সংক্রান্ত বিবরণঃ

6.0 (b) (iii) For the total load clearance period, the applicant shall pay in advance an amount calculated @ Tk.1.00/KW per month against the load demand as per the load breakup  6.0 (b) (iii) For the total load clearance period, the applicant shall pay in advance an amount calculated @ Tk.5.00/KW per month against the load demand as per the load breakup  6.0 (b) (iii) For the total load clearance period, the applicant calculated @ Tk.5.00/KW per month against the load demand as per the load breakup	shall pay in advance an amount calculated @ Tk.1.00/KW per month against the load demand as per the load breakup.	Board Meeting  6.0 (b) (iii) For the total load clearance period, the applicant shall pay in advance an amount calculated @ Tk.5.00/KW per	clearance period, the application shall pay in advance an amortical calculated @ Tk.5.00/KW property for the local shall pay in advance an amortical culture of the local shall prove the local shall
--	---	--	---

উপরে উল্লিখিত ক্রমিক নং ৫ এর বর্গনা অনুযায়ী Amendment proposed by Board Committee গৃহীত হলে "Policy Guidelines on Creating Facilities of Electric Distribution Lines" শীর্ষক নীতিমালা অধিকতর সমৃদ্ধ হবে এবং এর ফলে বিদ্যুৎ বিতরণ লাইন সম্প্রসার্থ/পুনর্বাসন্/পরিবর্তন এর কার্যক্রম পরিচালনা আরো স্বচ্ছু ও সুষ্ঠভাবে সম্পাদন করা সম্ভব হবে। এমতাবস্থায় বোর্ড কমিটির প্রস্তাব মোতাবেক

এদিকে ক্রমিক-৩ (খ) এ বর্ণিত কার্যপরিধি এর উপর আলোচনাকালে বোর্ড কমিটি পর্যালোচনান্তে এই সিদ্ধান্তে উপনীত হন যে, আলোচ্য নীতিমালার সাথে solar panel স্থাপনের বিষয় কেনিভাবেই সম্পৃক্ত নয় হেতু উক্ত নীতিমালা সংশোধনীর প্রস্তাবের ক্ষেত্রে বিষয়টি বিবেচনা না করার সুপারিশ করা

পরিচালক (ইঞ্জিনিয়ারিং), ডেসকো

সদস্য, বোর্ড কমিটি।

পরিচালক ডেসকো বোর্ড

সদস্য, বোর্ড কমিটি।

(এস. আর. আখতার) পরিচালক ডেসকো বোর্ড

আহ্বায়ক, বোর্ড কমিটি

# ঢাকা ইলেকট্রিক সাপ্পাই কোম্পানী লিঃ (ডেমকো) বাড়ী নং-৩, রোড নং-২৪, ব্লক-কে, বনানী, ঢাকা।

সারিক নং- ডেসকো/প্রশাসন-০৭/২০০৯/ 🔰 🔾 🔾

ারিখ-১৭/০৮/২০০৯ ইং।

সংশ্লিষ্ট সকলের সদয় অবগতির জন্য জানানো যাচ্ছে যে, ০৫/০৮/২০০৯ ইং তারিখে অনুষ্ঠিত ভেসকো বৌর্ড অব ডিরেক্টরস এর ১৫৪তম সভায় Facilities of Electric Distribution Lines সংক্রান্ত Policy Guidelines on Creating অনুমোদিত হয়েছে।

এমতাবস্থায়, বর্নিত Policy Guidelines এর আলোকে পরবর্তী প্রয়োজনীয় ব্যবস্থা গ্রহনের জন্য Policy Guidelines এর কপি অত্রসাথ সংযুক্ত করে প্রেরন করা হলো।

ব্যবহাপনা কর্তৃপক্ষের নির্দেশএনমে -

এস এম হাবিবুর রহিমান উপ-মহাব্যবস্থাপক (প্রশাসন)

### বিতর্ন ঃ

মহাব্যবস্থাপক (ই এন্ড এস সি / এস এন্ড ডি অপারেশন)। 140

०२। সকল বিভাগ

অনুলিপি ঃ সদয় অ্বগতিরু,জন্য।

ব্যবস্থাপনা পরিচালক, ডেসকো।

পরিচালক (কারিগরী/অর্থ), ডেসকো।

Circulan

all the apparent policy conditions



# Lolicy Guidelines on Creating Facilities of Electric Distribution Lines

### 1.0 Purpose:

The Purpose of this Policy Guideline is to specify the provision for administration and enforcement of requirements with regard to creating facilities of electric distribution lines in DESCO.

### 2.0 Scape:

The guidelines set forth under this policy relates to the works to be undertaken for construction of new facilities and augmentation/rehabilitation/conversion of existing facilities. It also outlines the procedures related to cost estimation of works, categorizing works under development scheme and deposit scheme, cost realization against deposit scheme and steps in taking up works.

Irrespective of the category of scheme of works, the ownership of the created facilities shall remain with DESCO and no applicant/consumer shall have any right to obstruct DESCO in providing service connection to others or to take up extension works from the created facilities.

Works under both development scheme and/or deposit scheme that are not technically feasible to be executed due to inaccessibility of line route, low terrain including ditch, pends, lake etc unsuitable for standard line construction shall not be considered till such impediments are overcome.

Developed land suitable for installation of substation/RMU, etc., if required for providing electric connection to a particular applicant, shall be provided by the concerned applicant free of cost.

Where standard procedures in erecting poles cannot be maintained in extension of LT line due to narrow roads/lanes or inadequate Right of Way (ROW), LT electric distribution lines may be established using GI pipe or U/G cable or higher size service cable for length covering permissible voltage drop limit.

For service connection, cost of service cable with accessories and meters along with installation and services charges shall be borne by the applicant.

# 3.0 Work Plan:

- (i) In order to meet the electric load demand of existing/new consumers and to cater for the future load growth, DESCO shall take up plans for establishment of new facilities and augmentation/rehabilitation/conversion of existing infrastructure. The works shall be assessed by DESCO's Planning Department and/or consultants appointed by DESCO taking into consideration the existing distribution network and requirements assessed by respective Sales & Distribution Divisions. The P&D Department shall develop the work plan on annual basis based on assessed requirements. The work plan shall be reviewed and updated at least quarterly to include /exclude works against actual requirements. The works planned and proposed for execution shall be categorized under the following schemes, as applicable
  - (i) Development Scheme
  - (ii) Doposit Scheme

Proposed works under any of the above schemes shall require approval of the competent authority as mentioned below prior to execution:

Type of work	Approval limit	Approving authority
Construction/augmentation/ rehabilitation /reinforcement of LT line	2 (two) span or equivalent line length. Above 2 (two) span or equivalent line length.	Head of S & D Div. GM (Engineering)
Construction/augmentation/ rehabilitation /reinforcement of HT line	2 (two) span or equivalent line length.	GM (Engineering)
	Above 2 (two) span or equivalent line length.	Director (Technical)
Installation of substation/ RMU, etc.	As required	Director (Technical)

## 3.1 Development scheme:

- a) Development scheme shall include the works for which all related costs shall be borne by DESCO.
- b) Works under development scheme shall cover the following areas:
  - (i) Establishment of LT electric lines upto 4 (four) span or equivalent line length-considered as first priority while those beyond 4 (four) span or equivalent line length considered as next priority in the current development scheme or in the subsequent annual development scheme.
  - (ii) Establishment of all HT electric lines upto 2 (two) span or equivalent length considered in the current development scheme, while those beyond 4 (four) span or equivalent line length considered in the subsequent annual development scheme.
  - (iii) Small scale works of relocation/shifting of existing facilities necessitated in public interest.
  - (iv) Extension/rehabilitation of distribution lines within a registered housing estate upto 02 (two) span or equivalent line length for HT line and/or 04 (four) span or equivalent line length for LT line from existing facilities subject to handing over the facilities to DESCO.
- o) P&D Department shall maintain separate work lists as stated below. The lists shall be updated at regular intervals.

	Works limited upto 4 (four) span or equivalent line length under current development scheme
z priority list	Works covering more than 4 (four) span or equivalent line length under current development scheme
3rd priority list	Works for consideration in next annual, development
	And the second s

d) Should any applicant be incapable or express his/her unwillingness to bear the cost of works under deposit scheme, the case shall be in pending till such works be included in the serial list of the annual development plan. Any claim to prioritize the work shall however fall under the deposit scheme.

Page 2 of 5

# 3.2 Deposit scheme:

- a) Deposit scheme shall include the works for which an applicant shall be required to pay DESCO in full or in part the costs in accordance with provisions set forth
- b) P&D Department shall maintain a list of works under deposit scheme in serial order.
- c) Works under deposit scheme shall cover the following areas:
  - (i) Works not included in the Development Scheme but requires early execution as per demand of an applicant.
  - (ii) Works listed in the Development Scheme but serial to be broken to prioritize job against the applicant's demand.
  - (iii) Construction of electric distribution line, within registered housing estate, not included in the development scheme.
  - (iv) Works for establishing dedicated line for an applicant.
  - (v) Works for relocation/shifting of existing facilities taken up against specific projects of authorities like DCC. RHD, Municipalities, etc.
  - (vi) Relocation/shifting of existing facilities for convenience of an applicant provided it is technically feasible and/or does not create any obstruction/difficulties to others.
  - (vii) Works for establishing temporary electric service connection to be made permanent at the end of the temporary connection period.
  - (viii) Works for establishing temporary electric service connection to be dismantled at the end of the temporary connection period.
- d) Should DESCO find impediments in the Right of Way (ROW) clearance or face any external obstruction in execution of works it shall not be liable for completion of the works. Such case shall remain in pending till the impediments are overcome. The applicant shall be required to extend full cooperation to overcome the impediments. If the applicant does not intend to proceed with the works or if impediments are not overcome, he/she shall be reimbursed the unspent portion of the deposited amount upon deduction of 10% (ten percent)
- The works for construction of electric distribution lines within registered housing estates may be executed by the concerned authorities under DESCO's supervision at their own arrangement and cost subject to DESCO's prior consent. However, drawing, design, specification and cost estimation for such works shall need prior approval of DESCO. The housing authority shall be required to pay DESCO in advance on demand the estimated amount in over to DESCO.

# 4.0 Cost Estimation for deposit works:

- a) Factors considered in cost estimation
  - (i) Line material including pole, pole fittings, conductor & cable and its accessories except distribution transformer.

- (ii) Substation equipment/Ring Main Unit required in addition to existing
- (iii) Installation/ Dismantling charges as per approved rate schedule.
- (iv) Incidental charges (Supervision and services charges).

Only the applicable items shall be considered in cost estimation.

## b) Preparation of cost estimate

The Accounts Department of DESCO shall prepare a fist of materials showing cost of individual item on the basis of average weighted cost and circulate it to all concerned departments/divisions at the end of each quarter.

- (i) Material cost = 100%
- (ii) Installation cost = 100%
- (iii) Incidental charges = 20% on installation cost(Supervision charges=10%, services charges=10%)

# 5.0 Realization of costs against deposit scheme:

An applicant shall be required to pay DESCO in advance on demand the estimated amount in accordance with 4 (b) for works under deposit scheme in the following manner:

### 2) Permanent Facility:

For development permanent facility cost realization will be made as follows:

Type of line.	Cost to be realized
Construction of HT line for residential purpose.	50% (fifty percent) of cost estimate for line length beyond specified limit under development scheme.
Construction of HT line for non-residential purpose	100% (hundred percent) of cost estimate for line length beyond specified limit under development scheme.
Construction of LT Jine	50% (fifty percent) of cost estimate for line length beyond specified limit under development scheme.
Shifting/relocating existing facilities	100% (hundred percent) of cost estimate.

Where an applicant provides free of cost land suitable for installation of RMU/Switchgear required in construction of electric distribution facilities, the applicant shall be required to pay DESCO only the cost against incidental charges.

b) Temporary facility: To be permanent, after the end of temporary connection.

For construction of permanent facilities applicable under deposit scheme: 100% (hundred percent) estimated cost in advance.

Subject to written undertaking to pay DESCO the estimated amount prior to execution of works of permanent connection, an applicant may however deposit.

Page 4 at 4

only the charges for installation, dismantling (if any) and supervision in order to create temporary facilities.

- c) Temporary facility: To be withdrawn after the end of temporary connection.
  - (i) 10% (ten percent) cost of materials/equipment, except transformer, required for creating facilities to provide service connection, and
  - (ii) 100% (hundred percent) installation charges
  - (iii) 100% (hundred percent) dismantling charges, if any, and
  - (iv) 100% (hundred percent) supervision and services charges.

### 6.6 Load Clearance/Retention:

- where load clearance/retention certificate is required by an applicant, the same may be provided if requested load may be made available from the existing system. The following steps shall be taken in this regard:
  - (i) The applicant shall be required to submit application in prescribed form upon payment of application fee of Tk. 1000.00 (Taka one thousand) non refundable.
  - (ii) The applicant shall be required to mention the total load requirement along with the breakup in phases, if applicable.
  - (iii) For a period upto first 6 (six) months, the applicant shall pay in advance an amount calculated @ Tk.2:50/KW per month against the load demand, if sanctioned.
  - (iv) For a period beyond first 6 (six) months, the applicant shall pay an amount calculated @ Tk.5.00/KW per month against the load demand, if sanctioned, or if creation of additional facilities to make requested load available can be ensured by DESCO.
- For advance load clearance requested by an applicant if additional/new facilities need to be created, the load clearance certificate mentioning the targeted load available time may be issued, provided DESCO can easure availability of the facilities through development or deposit scheme, as applicable. The following steps shall be taken in this regard:
  - (i) The applicant shall be required to submit application in prescribed form upon payment of non-refundable application fee of Tk. 1000.00 (Taka one thousand), in favour of DESCO.
  - (ii) The applicant shall be required to mention the total load requirement along with the breakup in phases, if applicable.
  - (iii) For the total load clearance period, the applicant shall pay in advance an amount calculated @ Tk.1.00/K W per month against the load demand as per the load breakup.
- c) The load clearance/retention certificate shall remain valid till the period specified in the certificate and be considered void upon expiry of the validity period.

# 7.0. Steps in taking up works:

- (i) The P & D Department and/or its appointed consultants shall carry out detail study and survey to assess the requirement of construction /augmentation/materials.
- (ii) The S & D Division's and/or its appointed consultants shall carry out detail study and survey to assess the requirement of construction /augmentation /rehabilitation works in the respective S&D Divisions and forward their report to P & D Department mentioning pole no, transformer location with loading condition along with staking sheet, cost estimate and bill of materials for review and finalization.
- (iii) Upon receipt of applications for construction/augmentation/rehabilitation works not included in development scheme, the S & D Divisions upon survey shall forward their report mentioning pole no, transformer location with loading condition along with staking sheet, cost estimate and bill of materials to P & D Department for review and finalization.
- (iv) With regard to clause 7 (iii), the applicants shall be required to submit the applications upon payment of prescribed fees to the respective S & D Division stating their requirement.
- (v) Applications for major construction/augmentation/rehabilitation works not included in the development scheme may be submitted upon payment of prescribed fees directly to the office of P & D Department stating the applicant's requirement.
- (vi) Upon final assessment of requirements for construction/augmentation/rehabilitation works against clause 7 (i), (ii), (iii) & (v) the P & D Department shall categorize the respective works under development scheme and deposit scheme, as deemed appropriate, and forward the cases for review and approval of the competent authority.
- (vii) Upon approval of proposed construction/ augmentation/rehabilitation works, the P & D Department shall prepare separate lists of job orders for development scheme and deposit scheme and update the same on regular basis.
- (viii) Upon approval of jobs under development scheme, the P&D Department shall issue Job orders to contractors for construction/augmentation/ rehabilitation works in serial order in respective work areas.
- (ix) Upon approval of a job under deposit scheme, P&D Department will request the applicant in writing to deposit the estimated amount to DESCO within a specific
- (x) Upon the applicants' payment of the estimated amount to DESCO against deposit scheme, the respective job orders shall be issued to contractors for construction/augmentation/rehabilitation works.
- (xi) Upon completion of works against job orders issued to contractors, the P&D Department shall inform the concerned S&D Division for subsequent necessary applicable.